

Serial No. 09/853,044

Docket No. CIT/K-0146

Amdt. dated November 8, 2006

Reply to Office Action of October 11, 2006

### **REMARKS**

By the present response, Applicants have amended claims 1, 9, 12 and 18 to further clarify the invention and move limitations from the preamble to the body of the claims. Claims 1-22 are pending in this application. Reconsideration and withdrawal of the outstanding rejections and allowance of the present application are respectfully requested in view of the above amendments and the following remarks.

In the Office Action, claims 1-22 have been rejected under 35 U.S.C. § 102(e) as being anticipated by U.S. Patent No. 6,014,164 (Woodgate et al.). The Examiner is requested to consider the remarks in Applicants' previous Amendment filed November 6, 2006 with regard to this Supplemental Amendment.

Serial No. 09/853,044  
Amdt. dated November 8, 2006  
Reply to Office Action of October 11, 2006

Docket No. CIT/K-0146

### CONCLUSION

In view of the foregoing amendments and remarks, Applicants submit that claims 1-22 are now in condition for allowance. Accordingly, early allowance of such claims is respectfully requested. If the Examiner believes that any additional changes would place the application in better condition for allowance, the Examiner is invited to contact the undersigned attorney, Frederick D. Bailey, at the telephone number listed below.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this, concurrent and future replies, including extension of time fees, to Deposit Account 16-0607 and please credit any excess fees to such deposit account.

Respectfully submitted,  
FLESHNER & KIM, LLP



Daniel Y.J. Kim  
Registration No. 36,186  
Frederick D. Bailey  
Registration No. 42,282

P.O. Box 221200  
Chantilly, Virginia 20153-1200  
(703) 766-3701 DYK/FDB:tlg

**Date: November 8, 2006**

\\Fk4\Documents\2016\2016-787\107068.doc

**Please direct all correspondence to Customer Number 34610**